

| L Number | Hits | Search Text | DB | Time stamp |
|-------------|------|--|---|---------------------|
| 10 | 36 | (((((smart adj card same interfac\$4) same (enabl\$4 disabl\$4 activat\$4 deactivat\$4)) same read\$4) and transaction near20 (key code number value)) and circuit\$4) and @ad<=19991217 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/28 16:23 |
| 35 | 70 | ((smart transaciton) adj card same (rf (radio adj frequency))) same (contact\$1less non\$1contact (non adj contact) (contact adj less))) and @ad<=19991217 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/28 18:58 |
| 46 | 31 | ((smart ic) adj card same (rf near10 circuit\$4)) same (process\$4 micro\$1process\$4 micro\$1computer cpu)) and (contact\$1less non\$1contact (non adj contact) (contact adj less)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; | 2004/07/28 20:07 |
| 52 | 68 | ((smart ic) adj card same (rf near10 circuit\$4)) same (terminal reader adapter enabler) | IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; | 2004/07/28 21:02 |
| 53 | 28 | ((smart ic) adj card same (rf near10 circuit\$4)) same (terminal reader adapter enabler)) and @ad<=19991217 | IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; | 2004/07/28 21:01 |
| 62 | 51 | ((transaction near10 (value amount)) same (ic smart) adj card) and @ad<=19991217) and (contact\$1less non\$1contact (non adj contact) (contact adj less))) and (terminal reader adapter enabler) | IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; | 2004/07/28 21:02 |